



WIŚNIEWSKI

Declaration of Performance

Declaration No.: 1065/CPR/2019

1. Unique identification code of the product type: **UniPro SNP power-operated door**
2. Identification number: **Compatible with the serial number located on the manufacturer's plate of the door**
3. Intended use: **Electric power operated sectional gate with Somfy Dexxo Pro 800, Somfy Dexxo Pro 1000, BFT Tiziano 600, INTRO 600, INTRO 1000, SOMMER DuoVision 650, SOMMER DuoVision 800, METRO 800, METRO 1000, MOTO 600, MOTO 750 drive.
The door has been designed to be used as a vertical barrier for general-purpose and garage buildings.**
4. Name of the manufacturer: **WIŚNIEWSKI Sp. z o.o. S.K.A.
PL 33-311 Wielogłowy 153**
6. System of assessment and verification of constancy of performance of the construction product: **3**
7. Harmonized standard: **PN-EN 13241-1+A1:2012 Gates. Product standard. Part 1: Products without fire resistance and smoke control characteristics.**
8. Notified body: **Institute of building engineering
(identification number of notified body 1488)
Test report no. LK01-01194/14/R41NK, LK01-01194/15/R62NK,
LK02-01194/15/R62NK, LK04-01194/15/R54NK,
LZE00-01194/16/R83NZE, LZE01-01194/19/R138NZE.**

9. Decelerated performance:	Characteristic	Harmonized technical specification	Performance
	Water tightness	PN-EN 13241-1 p.4.4.2	class 2 class 0*
	Release of dangerous substances	PN-EN 13241-1 p.4.2.9	not applicable
	Resistance to wind load	PN-EN 13241-1 p.4.4.3	class 3
	Thermal resistance	PN-EN 13241-1 p.4.4.5	NPD**
	Air permeability	PN-EN 13241-1 p.4.4.6	class 4 class 0*
	Safe openings	PN-EN 13241-1 p.4.2.8	Pass
	Definition of geometry of glass components	PN-EN 13241-1 p.4.2.5	Pass
	Mechanical resistance and stability	PN-EN 13241-1 p.4.2.3	Pass

* - for gates with ventilation grills or ventilation panels

** - the parameter value for the gate as per the serial number stated on the nameplate

9. The performance of the product specified above conforms with the list of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

WIŚNIEWSKI Sp. z o.o. S.K.A.

mgr inż.  Dariusz Ziłocki
Dyrektor Biura-Konstrukcyjnego

.....
(signature of authorized person)



Wielogłowy, 10.04.2019